Emblem



Nassimi

Curated Textile Collection : Faux Leather + Vinyl

Nassimi



Nassimi



Nassimi

All of the Nassimi faux leathers and vinyls we offer are pthalate free, PFC/PFOA free, and contain no flame retardants or antibacterial finishes. All materials are also bleach-cleanable (with 10% dilution).

Tolstoy

Faux leather with pebbled appearance, smooth hand, and exceptional resistance to ink stains.

Content: 100% polyurethane (surface and backing)

Stain Resistant: Writers Block (TM)

Abrasion: 250,000+ double rubs, Wyzenbeek

View performance specifications, cleaning instructions, and order memos here.

Verve II

<u>Lightly grained faux leather. Easy to clean and stain resistant.</u>
Content: 100% polyurethane surface, 100% polyester backing

Stain Resistant: Yes

Abrasion: 100,000+ double rubs, Wyzenbeek

View performance specifications, cleaning instructions, and order memos here.

Parker

Neoprene-like, matte finish. Deeply saturated color.

Content: 100% polyurethane surface, 100% polyester backing

Stain Resistant: Yes

Abrasion: 250,000+ double rubs, Wyzenbeek

View performance specifications, cleaning instructions, and order memos here.

Classic

Hard-working vinyl with natural pebbled texture.

Content: 100% PVC surface, 100% polyeterd backing

Stain Resistant: Resilience TX

Abrasion: 500,000+ double rubs, Wyzenbeek

View performance specifications, cleaning instructions, and order memos here.

nassimi Emblem

Emblem Program

Colors and patterns on this card are offered as part of Emblem's graded-in textile program and are regularly stocked at Emblem's California manufacturing facility. Other colors and patterns shown on the Nassimi website may also be available. Please inquire with your sales representative or hello@emblembuilt.com to receive a custom quote.

Memo samples for all textiles shown can be ordered at Nassimi.com, or you may email your memo request to hello@emblembuilt.com.

Please note that Nassimi is a high-volume wholesale supplier and does not offer fabrics for sale by the yard on its website.

Abrasion

Abrasion has been tested with the Wyzenbeek method using either cotton duck (CD) or wire screen (WS) as the abradant. ACT guidelines require at least 30,000 Wyzenbeek double rubs or 40,000 Martindale cycles for woven upholsteries, or 50,000 Wyzenbeek double rubs for coated upholsteries in heavy duty single-shift application. Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be an indicator of increased lifespan.

Other details and specifications can be found at nassimi.com.

